

Automated installing WebSpellChecker on Linux

This step-by-step guide is intended to outline the main steps for the automated WebSpellChecker application installation on Linux utilizing Apache HTTP Server. In this guide we will run you through the whole installation process from creating configuration file to embedding spell/grammar checking functionality to your web-based system.



Before you begin:

1. Check if your environment configuration meets:
 - a. [WebSpellChecker Server system requirements](#)
 - b. [WebSpellChecker Server hardware requirements](#)
2. Acknowledge with [WebSpellChecker Server architecture diagram](#).
3. Make sure that you have a valid license:

First of all you need to get a valid License Ticket ID to proceed with the license activation. Depending on the server license type, it may be a commercial (e.g. 1 year) or a 30-day trial license. Except the validity period, there is no difference between ticket types from the technical perspective.

Good to know:

- If you do not have a license yet, you can obtain it using one of the following ways:
 - request [a 30-day trial license](#) for evaluation and testing purposes;
 - acquire a commercial license by contacting our [sales department](#).
- WebSpellChecker license is hardware-based. After activation, the license will be tied to hardware characteristics of your server.
- If you are migrating WebSpellChecker from one server to another, you will need to deactivate (detach) a license on the current server and then reactivate it on a new one. Check carefully the [Migrating License to New Server](#) guide under Licensing section.
- If you have problems with your license, [contact us](#).

1. Create configuration file
 - 1.1. Configuration file syntax
 - 1.2. Configuration file parameters
2. Run automated install script
3. Activate license
4. Verify operability
 - WebSpellChecker Server Status
 - WebSpellChecker Server Version
 - WebSpellChecker Demo Samples
5. Integrate
 - WebSpellChecker Option A. Integration Guides
 - Option B. Demo Samples

1. Create configuration file

Before you run the **automated_install.pl** script, you need to prepare a special configuration file and specify proper values for all the required installation parameters. This information will be used by the script for the automated installation of the WebSpellChecker application on your server.

1.1. Configuration file syntax



- Configuration file has a simple structure resembling *.ini files.
- Each row of the file should contain one parameter with an assigned corresponding value.
- You are allowed to use indentation, spaces, and tabs and add blank lines.
- You can comment some of the parameters using a hash sign “#” at the very beginning of the row with a parameter name (e.g. #activate_license = 1).

Below is an example of a simple configuration file that can be used for the automated installation of the application on a Linux-based server using Apache HTTP Server assuming that you will be using the WProofreader product or Web API over HTTPS.

install_config.ini

```
install_path = opt/WSC/  
products = 1  
file_owner = 33:33  
protocol = 1  
certificate_file = /opt/WSC/cert/cert.pem  
certificate_key_file = /opt/WSC/cert/key.pem  
certificate_password = *****  
service_port = 2880  
domain_name = localhost  
web_port = 443  
virtual_dir = wscservice  
web_server_type = 1  
apache_auto_enable_modules = 1  
activate_license = 1  
license_ticket_id = *****
```

1.2. Configuration file parameters

Table below lists all available parameters and their possible values that you can use in the configuration file. Some of the parameters are mandatory and must be defined. The rest of the parameters are optional. If you do not define values for the optional parameters, they will be either auto-defined by the script, or the default values will be used accordingly.

#	Parameter	Parameter Type	Default Value	Possible Values	Description
1	install_path	Optional	opt/WSC/	<ul style="list-style-type: none">• opt/WSC/• Any other appropriate location on the server	The parameter defines the installation path for the application.
2	rewrite_old_installation	Optional	1	<ul style="list-style-type: none">• 0 – Do not create a backup file• 1 – Create a backup file (WSC.bak)	The parameter is responsible for a backup file creation. If you have an existing copy of the application in the specified install_path, the script will reserve the whole folder in a WSC.bak file.
3	file_owner	Mandatory	33:33	<ul style="list-style-type: none">• user:group (e.g. 33:33)	The parameter sets permissions for the application. It should define the files ownership, a user and group in the user:group format.
4	products	Mandatory	1	<ul style="list-style-type: none">• 1 – WProofreader(HTML Editable Controls, CKEditor 4/5, Froala Editor, TinyMCE, Quill, etc.)• 2 – Web API• 3 – SCAYT Plugin for CKEditor 4• 4 – WSC Dialog Plugin for CKEditor 4• 5 – Select all products	The parameter defines which product and components to install. It is not recommended to install all products but make your choice carefully. WSC Dialog Plugin for CKEditor 4 requires setup of the additional FastCGI modules.
5	install_samples	Optional	1	<ul style="list-style-type: none">• 0 – Do not install Demo Samples and Documentation.• 1 – Install Demo Samples and Documentation.	The parameter defines whether the demo samples and documentation should be installed.
6	protocol	Mandatory	1	<ul style="list-style-type: none">• 1 – HTTPS• 2 – HTTP	
7	certificate_file	Mandatory		<ul style="list-style-type: none">• /cert.pem	The parameter defines the path to the SSL certificate file (*.pem). Required for SSL connection setup.
8	certificate_key_file	Mandatory		<ul style="list-style-type: none">• /key.pem	The parameter defines the path to the private key file (*.pem). Required for SSL connection setup.

9	certificate_password	Optional		<ul style="list-style-type: none"> password if any 	Some SSL certificates are password-protected.
10	service_port	Mandatory	2880	<ul style="list-style-type: none"> Any available port number in a range [1-65535] 	The parameter defines the WebSpellChecker service port number. This is the port of AppServer.
11	domain_name	Mandatory	localhost	<ul style="list-style-type: none"> Your domain name (e.g. webspellchecker.com) 	
12	web_port	Mandatory	443 or 8443	<ul style="list-style-type: none"> Any available port number in a range [1-65535] of your web server or Java application server. Here are some common ports: <ul style="list-style-type: none"> 443 80 8443 8080 	The parameter specifies the port number of web server or Java application server.
13	virtual_dir	Mandatory	wcscservice	<ul style="list-style-type: none"> Any string 	
14	web_server_type	Mandatory	1	<ul style="list-style-type: none"> 1 – Apache HTTP Server 2 – Java Application Server (Apache Tomcat, Oracle WebLogic Server, Oracle GlassFish Server, etc.) 3 – Other 	The parameter specifies a type of web or application server which will be used for the application server running.
15	path_to_jvm	Optional		<ul style="list-style-type: none"> Path to Java Virtual Machine (JVM) 	The parameter defines the path to Java Virtual Machine (JVM) that is mandatory for the grammar engine. During the final steps of setup, the AppServer will try to autodetect the path to JVM and add it to the settings. However, using the parameter you can predefine which version of JVM should be used.
16	activate_license	Optional	1	<ul style="list-style-type: none"> 0 – Skip the license activation step. 1 – Run the license activation step. 	The parameter defines whether to run the license activation process. You can skip the license activation step if you have already activated a license or you prefer to proceed with the license activation step later.
17	license_ticket_id	Optional		<ul style="list-style-type: none"> Your valid license ticket ID. It can be a trial (30 day) or a commercial license (1 year). 	The parameter specifies a License Ticket ID that will be used during the license activation procedure.
18	apache_version	Optional	Current Apache HTTP Server version installed	<ul style="list-style-type: none"> 2.2.x 2.4.x 	The parameter defines the current version of Apache HTTP Server.
19	apache_config_dir	Optional	Current Apache HTTP Server configuration directory	<ul style="list-style-type: none"> /etc/apache2 /etc/apache2/conf.d 	The parameter defines location of the Apache HTTP Server configuration file (httpd.conf). It can be auto-defined by the installation script.

20	apache_instal l_mod_fastcgi	Optional	0	<ul style="list-style-type: none"> • 0 – Do not install a generic mod_fastcgi module shipped with the installation package. • 1 – Install a generic mod_fastcgi from the package. 	<p>The parameter installs a generic mod_fastcgi module which is shipped with the installation package.</p> <p>The mod_fastcgi module is required for the proper work of the application.</p> <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  It is recommended to use a certain external mod_fastcgi module which is specifically tailored for your system. However, you may decide to stick with a generic one shipped with the package. </div> <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  This parameter is needed when installing the WSC Dialog plugin for CKEditor 4. </div>
21	apache_auto _enable_mod ules	Optional	1	<ul style="list-style-type: none"> • 0 – Do not enable extra modules. • 1 – Enable all required extra modules. 	<p>The parameter enables additional Apache HTTP Server mod_mime and mod_headers modules. They are required for a proper work of the application.</p>
22	restart_apache	Optional	0	<ul style="list-style-type: none"> • 0 – Do not restart Apache HTTP Server. • 1 – Restart Apache HTTP Server. 	<p>The parameter is responsible for restart of Apache HTTP Server. It is required for changes to take effect.</p>
23	enable_floati ng_licensing	Optional	0	<ul style="list-style-type: none"> • 0 - Do not enable the floating licensing • 1 - Enable the floating licensing 	<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; text-align: center; color: green; font-weight: bold;">NEW 5.5.9</div> <p>Enable the floating licensing mechanism.</p>
24	floating_licen se_server	Optional		Host name/IP address of a license server and its port, e. g. 127.0.0.1:2881	<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; text-align: center; color: green; font-weight: bold;">NEW 5.5.9</div> <p>A host name/IP address and port number of a license server.</p>
25	enable_licens e_ssl	Optional	0	<ul style="list-style-type: none"> • 0 - Do not enable SSL connection between a license server and a client node of WebSpellChecker. • 1 - Enable SSL connection 	<div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px; text-align: center; color: green; font-weight: bold;">NEW 5.5.9</div> <p>Enable SSL connection between a license server and a client node of WebSpellChecker.</p>

2. Run automated install script

As soon as a configuration file with all the required parameters is defined, you need to run the **automated_install.pl** script with the **install_config.ini** configuration file as a first parameter as follows:

```
$ sudo ./automated_install.pl install_config.ini
```

OR

```
$ sudo perl automated_install.pl install_config.ini
```



Troubleshooting

If you specified a non-existing parameter in the configuration file, the automated installation will instantly fail, and throw an error message indicating an incorrect parameter. Moreover, with an incorrect parameter, the script may suggest possible valid parameters and their default values. However, if there is an error in a specified value, the installation will fail only on the specific step and might not give you a clear message for error handling.

3. Activate license

If you assigned "1" as a value for the **activate_license** parameter, the installer will attempt to activate a license automatically using a license ticket ID.



The automatic license activation mode requires the Internet connection available on the machine where you are trying to install WebSpellChecker.

Otherwise, you need to proceed with the license activation procedure according to the [License activation on Linux](#) manually.

4. Verify operability

Now you are ready to check if the installation process of the application went well, and all the components are functioning properly. Check the application version, status, and access to the demo samples to verify if the application works properly after the installation.

1. Verify Version: [http\(s\)://localhost:2880/?cmd=ver](http(s)://localhost:2880/?cmd=ver)
2. Verify Status: [http\(s\)://localhost:2880/?cmd=status](http(s)://localhost:2880/?cmd=status)
3. Access default demo samples: <https://localhost:443/wscservice/samples/>

Find the correct responses for the application version and status below.

WebSpellChecker Server Status

Here is a correct status response for Spell Check, Grammar and Thesaurus engines of WebSpellChecker Server:

```
{
  "SpellCheckEngine": {
    "active": true
  },
  "GrammarCheckEngine": {
    "active": true
  },
  "ThesaurusEngine": {
    "active": true
  }
}
```

WebSpellChecker Server Version

Here is a correct version response for WebSpellChecker Server 5.5.x.x on a Linux server:

```
{
  "Copyright": "(c) 2000-2020 WebSpellChecker LLC",
  "ProductWebsite": "webspellchecker.com",
  "ProgramVersion": "5.5.x.x x64 master:xxxxxxxx (xxxx) #xx",
  "PackageVersion": "5.5.x.x master:xxxxxxx (xxx) #xx"
}
```

WebSpellChecker Demo Samples

Here is correct view of the WebSpellChecker Demo Samples:

OVERVIEW

HTML EDITABLE CONTROLS

Multiple Controls

WYSIWYG EDITORS

Multiple Editors


WProofreader

WProofreader is a new ultimate proofreading tool. It provides both instant and on-click proofreading modes in a new convenient UI. End users just need to hover on the marked words for instant correction suggestions or click the dialog icon in the bottom right corner to have the whole text proofread at once.

Just a single script is needed to integrate it in all types of editable fields in your web app. The **autoSearch** feature takes care of detecting new editable fields and enabling proofreading in them automatically.

Here is list of most common uses cases where and how you can use WProofreader in your web app:

1. HTML editable controls such as **input** or **textarea** and elements with contenteditable attribute set to 'true' e.g. **div**, **iframe**;
2. Modern WYSIWYG editors such as **CKEditor 4**, **CKEditor 5**, **TinyMCE**, **Froala Editor**, **Kendo UI**, **Quill**, **Redactor**, **Summernote**, **ProseMirror**, **Scribe**, **Trix**, etc .



Installation Guide

Step 1: Add WProofreader Script

First of all, you need to add a script on your page and define a path to the WProofreader application.

```
<script type="text/javascript" src="http(s)://your_host_name/spellcheck/wscbundle/wscbundle.js">
```

Step 2: Initialize WProofreader with **autoSearch**.

It will take you less than five minutes to enable the multi-language proofreading functionality in your web application. You just need to add the next simple scripts and define the required parameters.

1. Enable autoSearch functionality. You need to define the autoSearch parameter in order to activate auto-searching functionality of WProofreader.
2. Adjust the default parameters. Check a full list of [WProofreader API parameters](#) and their possible values to adjust default settings of WProofreader to meet your needs.

```
<script>
window.WEBSPELLCHECKER_CONFIG = {
  autoSearch: true,
  enableGrammar: true,
  lang: 'en_US',
  serviceProtocol: 'https',
  serviceHost: 'your_host_name',
  servicePort: '2880',
  servicePath: '/'
};
</script>
```

5. Integrate WebSpellChecker

Integrate WebSpellChecker products into your web application.

Option A. Integration Guides

Visit [Products and integrations guides](#) to learn more how to get started with WebSpellChecker products, one of them being [WProofreader](#).

WProofreader

[WProofreader](#) is multilingual proofreading tool for web applications. It enables grammar and spell check while you type or work with your text in a dedicated dialog. It detects editable fields in focus, be it HTML editable controls or WYSIWYG editors, and enables spelling and grammar checking there. View the [full list of supported integrations](#).

WProofreader benefits:

- Available as a standalone secure solution on your server or as an annual subscription to the service hosted by WebSpellChecker.
- Out of the box offer provides spell check for 17 languages and grammar check for 15 out of 17 [default languages](#);
- All modern [web browsers are supported](#) including the latest stable versions of Chrome, Firefox, Safari, MS Edge, and Internet Explorer 11 and mobile web browsers such as Chrome for Android and iOS Safari;
- Over 150 additional languages as well as specialized medical and legal dictionaries are [available to extend the default languages set](#);
- [Global custom dictionaries](#) managed by system admins and intended for all WProofreader users;
- [Personal user dictionaries](#) for end-users;
- [WAI-compliant](#), up to [WCAG 2.1](#) and [Section 508 accessibility standards](#);
- Operation and installation via HTTPS protocol is supported to fulfill strict security requirements.

With the Cloud-based version of WProofreader you can access and use its features without server-side installation. In the Server-based version, all the application data is securely processed on your own server. Refer to the [Get started with WProofreader Server \(autoSearch\)](#) guide for more details.

WProofreader allows users to see and correct spelling and grammar problems on the fly while they are typing directly in the text input field. Every misspelled word found will be underlined with a red wavy line and every grammar problem detected will be marked with a green one respectively. The user just needs to hover a marked word or phrase and replace it with a proper one from the list of given corrections.

Option B. Demo Samples

Depending on the type of elements, namely HTML native elements or rich text editors where the spelling and grammar check is needed, you may choose and use the demo samples that are shipped with the package.

To access the default samples, go to [http\(s\)://your_host_name:port/wscservice/samples/](http(s)://your_host_name:port/wscservice/samples/) where port is the **port** of your web server or Java application server. The default samples contains all the necessary samples and instructions that will help with the integration of the WebSpellChecker products. Moreover, each sample contains detailed development documentation with a list of methods and parameters available.